



POWER ADAPTER INTERNATIONAL

各國轉接頭

POWER
ADAPTER
INTERNATIONAL
www.wellshin.com.tw

Copyright © 2014 by Well Shin Technology Co., Ltd. All rights reserved. None of the information provided here may be used, duplicated, reproduced, either partially or completely, without prior permission of Well Shin.

本公司之目錄享有法律著作權，未經授權不得摘編、拷貝、使用。

Information provided here may consist of uncertainty, Well Shin reserves the right to revise or explain all the time.

目錄中資料可能因疏失而存在錯誤，本公司保留隨時修正或解釋的權利。



IEC 60320-1 C5 TYPE 4

IEC 60320-1 C7 TYPE 6

IEC 60320-1 C13 TYPE 8

USA 2 PIN TO EUROPEAN & UK PLUG 9


MULTI-NATIONAL 2 / 3-PRONG OUTLET TRAVELLER ADAPTER KIT 10














5V / 1A PORTABLE UNIVERSAL USB CHARGER 11

5V / 2.4A PORTABLE UNIVERSAL 2 USB CHARGER 12


PORTABLE UNIVERSAL USB CHARGER WITH WIFI ROUTER 13

IEC 60320-1 C5 TYPE















P / N : 9993-1001

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
<div> WS-134-1 SHEET A 10A 125 / 250V~</div> <div> WS-083-B C5 10A 125 / 250V~</div>		SVT 18 / 3 / 105C / WT / 100CM	<div> WHITE</div>	UL / CUL
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
<div> USA</div>	<div> WS-094-C 10A / 125V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO US 3 PIN NEMA 5-15P PLUG	<div> WHITE</div>	UL / CUL
<div> EUROPE</div>	<div> WS-095-C 2.5A / 250V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO EUROPEAN 3 PIN PLUG		TUV
<div> UK</div>	<div> WS-091-C 2.5A / 250V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA
<div> AUSTRALIA</div>	<div> WS-092-C 2.5A / 250V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO AUSTRALIA INSULATION 3 PIN PLUG		SAA
BAG	<div></div> <div>Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand</div>			
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			


IEC 60320-1 C5 TYPE
















P / N : 9993-1002

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
<div> WS-134-1 SHEET A 10A 125 / 250V~</div> <div> WS-083-B C5 10A 125 / 250V~</div>		SVT 18 / 3 / 105C / WT / 100CM	<div> WHITE</div>	UL / CUL
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
<div> USA</div>	<div> WS-039-A 10A / 125 / 250V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO US / JAPAN / TAIWAN 2 PIN PLUG	<div> WHITE</div>	UL / CUL BY REQUEST
<div> EUROPE</div>	<div> WS-100-B 2.5A / 250V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
<div> UK</div>	<div> WS-091-C 2.5A / 250V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA
<div> CHINA</div>	<div> WS-049-G 10A / 125 / 250V~</div>	IEC60320-1 C5 FEMALE CONNECTOR INTO CHINA 3 PIN PLUG		CCC BY REQUEST
BAG	<div></div> <div>Size: 175mm x 123mm max: +2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand</div>			
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
CHINA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			


IEC 60320-1 C7 TYPE
















P / N : 9993-1003

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
<div> WS-079-3 SHEET C 2.5A / 250V~</div> <div> WS-027-P C7 10A 125 / 250V~</div>		NISPT-2 18 / 2 / BK / 100CM	 BLACK	UL / CUL
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 USA	 WS-087-B 2.5A / 7A / 125V	IEC60320-1 C7 FEMALE CONNECTOR INTO JAPAN / USA 2 PIN PLUG	 BLACK	UL / CUL
 EUROPE	 WS-088-4 2.5A / 250V	IEC60320-1 C7 FEMALE CONNECTOR INTO EUROPEAN 2 PIN PLUG		TUV
 UK	 WS-086-6 2.5A / 250V	IEC60320-1 C7 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA
 AUSTRALIA	 WS-067-A 2.5A / 125V	IEC60320-1 C7 FEMALE CONNECTOR INTO ARGENTINA 2 PIN PLUG		SAA
BAG	<div></div> <div>Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand</div>			
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			


IEC 60320-1 C7 TYPE
















P / N : 9993-1004

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
<div> WS-079-3 SHEET C 2.5A / 250V~</div> <div> WS-027-P C7 10A 125 / 250V~</div>		60227 IEC52 RVV 2 x 0.75mm FLAT / BK / 100CM	<div> BLACK</div>	CCC BY REQUEST
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
<div> USA</div>	<div> WS-069-J 2.5A,7A / 125V / 250V~</div>	IEC60320-1 C7 FEMALE CONNECTOR INTO JAPAN / US 2 PIN PLUG	<div> BLACK</div>	UL / CUL
<div> EUROPE</div>	<div> WS-068-A 2.5A / 250V~</div>	IEC60320-1 C7 FEMALE CONNECTOR INTO EUROPEAN 2 PIN PLUG		TUV
<div> UK</div>	<div> WS-086-6 2.5A / 250V</div>	IEC60320-1 C7 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA
<div> AUSTRALIA</div>	<div> WS-066-J1 2.5A / 125 / 250V~</div>	IEC60320-1 C7 FEMALE CONNECTOR INTO ARGENTINA 2 PIN PLUG		SAA BY REQUEST
BAG	<div></div> <div>Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand</div>			
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

IEC 60320-1 C13 TYPE



P / N : 9993-1005







插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
<div> WS-003-4 SHEET E 10A / 13A / 125V / 250V~</div> <div> WS-002A-3 C13 10A / 125 / 250V~</div>		SVT 18 / 3C / 105C / BK / 100CM	 BLACK	UL / CUL
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 USA	 WS-094 10A / 125V	IEC60320-1 C13 FEMALE CONNECTOR INTO USA 3 PIN PLUG	 BLACK	UL / CUL
 EUROPE	 WS-095-A 10A / 125 / 250V~	IEC60320-1 C13 FEMALE CONNECTOR INTO EUROPEAN 3 PIN PLUG		TUV BY REQUEST
 UK	 WS-091-A 10A / 125 / 250V~	IEC60320-1 C13 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA BY REQUEST
 AUSTRALIA	 WS-092-A 10A / 125 / 250V~	IEC60320-1 C13 FEMALE CONNECTOR INTO AUSTRALIA 3 PIN PLUG		SAA BY REQUEST
BAG	<div></div> <div>Size: 175mm x 123mm max:+2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand</div>			
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

USA 2 PIN TO EUROPEAN & UK PLUG






















P / N : 9993-1006



國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 EUROPE	 WS-038-7 2.5A / 250V~	USA 2 PIN INTO EUROPEAN 2 PIN PLUG	 BLACK	TUV BY REQUEST
 UK	 WS-152-F 2.5A / 250V~	US 2 PIN & EUROPEAN 2 PIN INTO 3 PIN UK PLUG		ASTA BY REQUEST
BAG	 Size: 175mm x 123mm max:±2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			

MULTI-NATIONAL 2 / 3-PRONG OUTLET TRAVELLER ADAPTER KIT

產品號 P/N	國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
9993-1007	 USA	 WS-036-5 2.5A / 125V~	EUROPEAN 2 PIN WITH SHUTTER ROTECTION INTO US 2 PIN PLUG	 BLACK	UL BY REQUEST
9993-1008	 JAPAN	 WS-037-A 15A / 125V~ WITH GROUND WIRE	JAPAN 3 PIN INTO 2 PIN PLUG WITH GROUNDING WIRE		PSE BY REQUEST
9993-1009	 JAPAN	 WS-127-B 15A / 125V~	JAPAN 2 PIN INTO 2 PIN PLUG WITH EASY PULL SMART GADGET FOR HOME APPLIANCE		PSE BY REQUEST
9993-1010	 TAIWAN	 WS-037-5 15A / 125V~	TAIWAN 3 PIN INTO TAIWAN 2 PIN PLUG WITH EASY PULL SMART GADGET FOR HOME APPLIANCE		BSMI
9993-1011	 USA	 WS-037-B 7A / 125V~	US 3 PIN INTO US 2 PIN PLUG		UL / CUL PSE BY REQUEST
9993-1012	 USA	 WS-037-F 15A / 125V~	US 3 PIN INTO US 2 PIN PLUG WITH EASY PULL SMART GADGET FOR HOME APPLIANCE		UL / CUL PSE BY REQUEST
9993-1013	 UK	 WS-157 13A / 250V~	US 3 PIN INTO UK 3 PIN PLUG		ASTA BY REQUEST
9993-1014	 SHEET C	 WS-132-A 2.5A	IEC60320-1 C5 3 PIN FEMALE CONNECTOR TO C8 MALE PLUG		BY REQUEST
9993-1015	 SHEET A	 WS-133-A 2.5A	IEC60320-1 C7 2 PIN FEMALE CONNECTOR TO C6 MALE PLUG		BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA				
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA				
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA				
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA				

5V / 1A PORTABLE UNIVERSAL USB CHARGER



WS-418 WHITE

P / N : 9993-1016
SURFACE CODING

Size : 65.3mm x 49.5mm x 70mm

Material : PC

Surface : Polish / Pockmark

Color : White / Black / Option

SPECIFIC

Input Voltage Range : 90Vac~264Vac

Input Frequency : 47~63Hz

Output Voltage (USB) : 4.75Vdc~5.25Vdc










Output Current Range (USB) : 0 ~ 1.0A continuous

Output Total Power : 5 Watts

Efficiency Level : V

Protection : SCP / OCP / OVP / OTP Protection

Output Outlet : USB Port

國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 USA TO USB	 WS-227-40B Input : 100~240V~ Output : 5V / 1A	AC JAPAN / US PLUG TO USB 2.0	 WHITE	UL / CUL BY REQUEST
 EUROPE	 WS-038-1 2.5A / 250V~	US 2 PIN INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
 UK	 WS-413 2.5A / 250V~	US 2 PIN INTO UK PLUG		ASTA BY REQUEST
 AUSTRALIA	 WS-414 2.5A / 250V~	AUSTRALIA 2 PIN TO USB		SAA BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

5V / 2.4A PORTABLE UNIVERSAL 2 USB CHARGER



WS-418-B WHITE

P / N : 9993-1017**SURFACE CODING**

Size : 65.3mm x 49.6mm x 66.6mm

Material : PC

Surface : Polish / Pockmark

Color : White

SPECIFIC

Input Voltage Range : 90Vac~264Vac

Input Frequency : 47~63Hz

Output Voltage (USB) : 4.75Vdc~5.25Vdc








Output Current range (USB) : 5V / 1.2A X 2 or 5V / 2.4A X 1 Continuous

Output Total Power : 12Watts

Efficiency Level : V

Protection : SCP, OCP, OVP, OTP Protection








Output Outlet : 2 USB Port

國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
<div> CHINA AUSTRALIA TO USB</div>	<div> WS-439-A1 Input : 100~240V~ Output : 5V / 2.4A</div>	AC CHINA 2 PIN/ AUSTRALIA 2 PIN ROTATABLE PIN TO 2 USB	<div> WHITE</div>	CCC BY REQUEST
<div> EUROPE</div>	<div> WS-038-1 2.5A / 250V~</div>	US 2 PIN INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
<div> UK</div>	<div> WS-413 2.5A / 250V~</div>	US 2 PIN INTO UK PLUG		ASTA BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

PORTABLE UNIVERSAL USB CHARGER WITH WIFI ROUTER

P / N : 9993-1018



國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
<div> USA AUSTRALIA TO USB</div>	<div> WS-439-1 Input : 100~240V~ Output : 5V / 1A</div>	AC USA / AUSTRALIA PLUG TO USB 2.0 + WIFI	<div> WHITE</div>	UL / CUL BY REQUEST
<div> EUROPE</div>	<div> WS-038-1 2.5A / 250V~</div>	US 2 PIN INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
<div> UK</div>	<div> WS-413 2.5A / 250V~</div>	US 2 PIN INTO UK PLUG		ASTA BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

PORTABLE UNIVERSAL USB CHARGER WITH WIFI ROUTER



WS-439-1



Australia Plug



USA Plug



WS-413



WS-038-1

SURFACE CODING

Size : 65.3mm x 49.6mm x 66.6mm
Material : PC
Surface : Polish / Pockmark
Color : White

SPECIFIC

Input Voltage Range : 90Vac~264Vac
Input Frequency : 47~63Hz
Output Voltage (USB) : 4.75Vdc~5.25Vdc
Output Current Range (USB) : 0 ~ 1.0A continuous
Output Total Power : 5 Watts
Efficiency Level : V
Protection : SCP / OCP / OVP / OTP Protection
Output Outlet : USB Port

Wi-Fi Router

Supports IEEE802.11 b/g/n, IEEE802.3 / 802.3u
WiFi maximum bandwidth access: 150Mbps
Bridge mode
Gateway mode
Ethernet converter
AP Client




































WS-418-A WHITE


Technical Information

IEC 60320-1 & 60320-2 International Standard

Appliance couplers for household and similar general purposes-Interconnection
couplers for household and similar equipment.

IEC 60320-1 Appliance Couplers			IEC 60320-2-2 Interconnection Coupler	
Connectors		Inlets	Plug Connectors	Outlets
 C1	Class II Cold	 C2	0.2A Household These couplers are not in the IEC 60320 standard.	
 C5	Class I Cold	 C6	2.5A Household  SHEET A	 SHEET B
 C7	Class II Cold	 C8		 SHEET C
 C9	Class II Cold	 C10	6A Household These couplers are not in the IEC 60320 standard.	
 C13	Class I Cold	 C14	10A International/ 15A North American Household  SHEET E	 SHEET F
 C15	Class I Hot	 C16		These couplers are not in the IEC 60320 standard.
 C15A	Class I Very Hot	 C16A		These couplers are not in the IEC 60320 standard.
 C17	Class II Cold	 C18		 SHEET G
				 SHEET H
 C19	Class I Cold	 C20	16A International/ 20A North American Household  SHEET I	 SHEET J
 C21	Class I Very Hot	 C22		These couplers are not in the IEC 60320 standard.
 C23	Class II Cold	 C24		 SHEET K
				 SHEET L


We gained Safety Standard approval of different country





WELL SHIN TECHNOLOGY CO., LTD.

www.wellshin.com.tw



Kun Shan Plant

維爾斯電子(昆山)有限公司

Well Shin Electronic (Kun Shan) Co., Ltd.

江蘇省昆山市錦溪鎮昆開路389號

No.389, Kun Kai Rd., Jin Xi Town, Kun Shan City,
Jiang Su 215324, China

Tel : 86-512-5722-9101 Fax : 86-512-5722-9105



Headquarter Taipei

維熹科技股份有限公司

Well Shin Technology Co., Ltd.

114臺北市內湖區新湖三路196號

No.196, Xinghu 3rd Rd., Neihu District,
Taipei City 114, Taiwan

Tel : 886-2-2791-1119 Fax : 886-2-2791-9901



Kentucky Plant

美國肯塔基廠

Factory : Kentucky, USA

1801 Trane Way Louisville, KY 40299, USA

Tel : 1-414-482-0800 Fax : 1-414-482-0220



Dongguan Plant

東莞維升電子製品有限公司

Dongguan Well Shin Electronic Products Co., Ltd.

廣東省東莞市黃江鎮長龍管理區

Chang Long Control Dist., Hwang Jiang Cheng,
Dongguan City, Guandong 523766, China

Tel : 86-769-8362-2694 Fax : 86-769-8362-2714



Taiwan Plant

台灣工廠

Taiwan Plant

彰化縣福興鄉麥厝村沿海路一段1號

No.1, Sec. 1, Yanhai Rd., Fuxing Township,
Changhua County 506, Taiwan

Tel : 886-4-770-3081 Fax : 886-4-770-3080