



# POWER ADAPTER INTERNATIONAL

各國轉接頭

**POWER**  
**ADAPTER**  
**INTERNATIONAL**  
[www.wellshin.com.tw](http://www.wellshin.com.tw)

---

---

Copyright © 2014 by Well Shin Technology Co., Ltd. All rights reserved. None of the information provided here may be used, duplicated, reproduced, either partially or completely, without prior permission of Well Shin.

本公司之目錄享有法律著作權·未經授權不得摘編、拷貝、使用。


Information provided here may consist of uncertainty, Well Shin reserves the right to revise or explain all the time.

目錄中資料可能因疏失而存在錯誤·本公司保留隨時修正或解釋的權利。
















<b>IEC 60320-1 C5 TYPE</b> .....	4
<b>IEC 60320-1 C7 TYPE</b> .....	6
<b>IEC 60320-1 C13 TYPE</b> .....	8
<b>USA 2 PIN TO EUROPEAN &amp; UK PLUG</b> .....	9
<b>MULTI-NATIONAL 2 / 3-PRONG OUTLET TRAVELLER ADAPTER KIT</b> .....	10
<b>5V / 1A PORTABLE UNIVERSAL USB CHARGER</b> .....	11
<b>5V / 2.4A PORTABLE UNIVERSAL 2 USB CHARGER</b> .....	12
<b>PORTABLE UNIVERSAL USB CHARGER WITH WIFI ROUTER</b> .....	13


**IEC 60320-1 C5 TYPE**
















**P / N : 9993-1001**

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY		
 WS-134-1 SHEET A 10A 125 / 250V~		 WS-083-B C5 10A 125 / 250V~		SVT 18 / 3 / 105C / WT / 100CM	 WHITE	UL / CUL
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY		
 USA	 WS-094-C 10A / 125V~	IEC60320-1 C5 FEMALE CONNECTOR INTO US 3 PIN NEMA 5-15P PLUG	 WHITE	UL / CUL		
 EUROPE	 WS-095-C 2.5A / 250V~	IEC60320-1 C5 FEMALE CONNECTOR INTO EUROPEAN 3 PIN PLUG		TUV		
 UK	 WS-091-C 2.5A / 250V~	IEC60320-1 C5 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA		
 AUSTRALIA	 WS-092-C 2.5A / 250V~	IEC60320-1 C5 FEMALE CONNECTOR INTO AUSTRALIA INSULATION 3 PIN PLUG		SAA		
BAG	 WellShin	Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand				
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA					
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA					
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA					
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA					


**IEC 60320-1 C5 TYPE**
















**P / N : 9993-1002**

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
 WS-134-1 SHEET A 10A 125 / 250V~		 WS-083-B C5 10A 125 / 250V~	SVT 18 / 3 / 105C / WT / 100CM   WHITE	UL / CUL
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 USA	 WS-039-A 10A / 125 / 250V~	IEC60320-1 C5 FEMALE CONNECTOR INTO US / JAPAN / TAIWAN 2 PIN PLUG	 WHITE	UL / CUL BY REQUEST
 EUROPE	 WS-100-B 2.5A / 250V~	IEC60320-1 C5 FEMALE CONNECTOR INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
 UK	 WS-091-C 2.5A / 250V~	IEC60320-1 C5 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA
 CHINA	 WS-049-G 10A / 125 / 250V~	IEC60320-1 C5 FEMALE CONNECTOR INTO CHINA 3 PIN PLUG		CCC BY REQUEST
BAG		Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand		
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
CHINA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			


**IEC 60320-1 C7 TYPE** 
















**P / N : 9993-1003**

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
 WS-079-3 SHEET C 2.5A / 250V~  WS-027-P C7 10A 125 / 250V~		NISPT-2 18 / 2 / BK / 100CM	 <b>B</b> BLACK	UL / CUL
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 USA	 WS-087-B 2.5A / 7A / 125V	IEC60320-1 C7 FEMALE CONNECTOR INTO JAPAN / USA 2 PIN PLUG	 <b>B</b> BLACK	UL / CUL
 EUROPE	 WS-088-4 2.5A / 250V	IEC60320-1 C7 FEMALE CONNECTOR INTO EUROPEAN 2 PIN PLUG		TUV
 UK	 WS-086-6 2.5A / 250V	IEC60320-1 C7 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA
 AUSTRALIA	 WS-067-A 2.5A / 125V	IEC60320-1 C7 FEMALE CONNECTOR INTO ARGENTINA 2 PIN PLUG		SAA
BAG	 WellShin	Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand		
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			


**IEC 60320-1 C7 TYPE** 
















**P / N : 9993-1004**

插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY	
 WS-079-3 SHEET C 2.5A / 250V~		 WS-027-P C7 10A 125 / 250V~		60227 IEC52 RVV 2 x 0.75mm FLAT / BK / 100CM	 BLACK CCC BY REQUEST
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY	
 USA	 WS-069-J 2.5A,7A / 125V / 250V~	IEC60320-1 C7 FEMALE CONNECTOR INTO JAPAN / US 2 PIN PLUG	 BLACK	UL / CUL	
 EUROPE	 WS-068-A 2.5A / 250V~	IEC60320-1 C7 FEMALE CONNECTOR INTO EUROPEAN 2 PIN PLUG		TUV	
 UK	 WS-086-6 2.5A / 250V	IEC60320-1 C7 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA	
 AUSTRALIA	 WS-066-J1 2.5A / 125 / 250V~	IEC60320-1 C7 FEMALE CONNECTOR INTO ARGENTINA 2 PIN PLUG		SAA BY REQUEST	
BAG		Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand			
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA				
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA				
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA				
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA				

## IEC 60320-1 C13 TYPE




**P / N : 9993-1005**







插頭 / 連接器型式 PLUG / CONNECTOR TYPE		PVC 線 PVC Wire	顏色 COLOR	安規 SAFETY
 WS-003-4 SHEET E 10A / 13A / 125V / 250V~		SVT 18 / 3C / 105C / BK / 100CM	 BLACK	UL / CUL
 WS-002A-3 C13 10A / 125 / 250V~				
國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 USA	 WS-094 10A / 125V	IEC60320-1 C13 FEMALE CONNECTOR INTO USA 3 PIN PLUG	 BLACK	UL / CUL
 EUROPE	 WS-095-A 10A / 125 / 250V~	IEC60320-1 C13 FEMALE CONNECTOR INTO EUROPEAN 3 PIN PLUG		TUV BY REQUEST
 UK	 WS-091-A 10A / 125 / 250V~	IEC60320-1 C13 FEMALE CONNECTOR INTO UK 3 PIN PLUG		ASTA BY REQUEST
 AUSTRALIA	 WS-092-A 10A / 125 / 250V~	IEC60320-1 C13 FEMALE CONNECTOR INTO AUSTRALIA 3 PIN PLUG		SAA BY REQUEST
BAG	 WellShin	Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand		
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			






















**USA 2 PIN TO EUROPEAN & UK PLUG**  



POWER ADAPTER INTERNATIONAL

國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 EUROPE	 WS-038-7 2.5A / 250V~	USA 2 PIN INTO EUROPEAN 2 PIN PLUG	 BLACK	TUV BY REQUEST
 UK	 WS-152-F 2.5A / 250V~	US 2 PIN & EUROPEAN 2 PIN INTO 3 PIN UK PLUG		ASTA BY REQUEST
BAG	 WellShin	Size: 175mm x 123mm max:+-2mm, with black drawstrings 70mm & black cord lock, bag inside red pantone #186C, outside gray pantone # 423C, washable, logo printing 12mm (H) x 35mm (W), text by demand		
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			

# MULTI-NATIONAL 2 / 3-PRONG OUTLET TRAVELLER ADAPTER KIT

產品號 P/N	國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
9993-1007	 USA	 WS-036-5 2.5A / 125V~	EUROPEAN 2 PIN WITH SHUTTER ROTECTION INTO US 2 PIN PLUG	 BLACK	UL BY REQUEST
9993-1008	 JAPAN	 WS-037-A 15A / 125V~ WITH GROUND WIRE	JAPAN 3 PIN INTO 2 PIN PLUG WITH GROUNDING WIRE		PSE BY REQUEST
9993-1009	 JAPAN	 WS-127-B 15A / 125V~	JAPAN 2 PIN INTO 2 PIN PLUG WITH EASY PULL SMART GADGET FOR HOME APPLIANCE		PSE BY REQUEST
9993-1010	 TAIWAN	 WS-037-5 15A / 125V~	TAIWAN 3 PIN INTO TAIWAN 2 PIN PLUG WITH EASY PULL SMART GADGET FOR HOME APPLIANCE		BSMI
9993-1011	 USA	 WS-037-B 7A / 125V~	US 3 PIN INTO US 2 PIN PLUG		UL / CUL PSE BY REQUEST
9993-1012	 USA	 WS-037-F 15A / 125V~	US 3 PIN INTO US 2 PIN PLUG WITH EASY PULL SMART GADGET FOR HOME APPLIANCE		UL / CUL PSE BY REQUEST
9993-1013	 UK	 WS-157 13A / 250V~	US 3 PIN INTO UK 3 PIN PLUG		ASTA BY REQUEST
9993-1014	 SHEET C	 WS-132-A 2.5A	IEC60320-1 C5 3 PIN FEMALE CONNECTOR TO C8 MALE PLUG		BY REQUEST
9993-1015	 SHEET A	 WS-133-A 2.5A	IEC60320-1 C7 2 PIN FEMALE CONNECTOR TO C6 MALE PLUG		BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA				
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA				
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA				
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA				

# 5V / 1A PORTABLE UNIVERSAL USB CHARGER



**WS-418 WHITE**

**P / N : 9993-1016**

**SURFACE CODING**

Size : 65.3mm x 49.5mm x 70mm  
 Material : PC  
 Surface : Polish / Pockmark  
 Color : White / Black / Option

**SPECIFIC**

Input Voltage Range : 90Vac~264Vac  
 Input Frequency : 47~63Hz  
 Output Voltage (USB) : 4.75Vdc~5.25Vdc  
 Output Current Range (USB) : 0 ~ 1.0A continuous  
 Output Total Power : 5 Watts  
 Efficiency Level : V  
 Protection : SCP / OCP / OVP / OTP Protection  
 Output Outlet : USB Port

國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
USA TO USB	WS-227-40B Input : 100~240V~ Output : 5V / 1A	AC JAPAN / US PLUG TO USB 2.0	WHITE	UL / CUL BY REQUEST
EUROPE	WS-038-1 2.5A / 250V~	US 2 PIN INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
UK	WS-413 2.5A / 250V~	US 2 PIN INTO UK PLUG		ASTA BY REQUEST
AUSTRALIA	WS-414 2.5A / 250V~	AUSTRALIA 2 PIN TO USB		SAA BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

# 5V / 2.4A PORTABLE UNIVERSAL 2 USB CHARGER

POWER ADAPTER INTERNATIONAL



WS-418-B WHITE

**P / N : 9993-1017**

**SURFACE CODING**

Size : 65.3mm x 49.6mm x66.6mm  
Material : PC  
Surface : Polish / Pockmark  
Color : White

**SPECIFIC**

Input Voltage Range : 90Vac~264Vac  
Input Frequency : 47~63Hz  
Output Voltage (USB) : 4.75Vdc~5.25Vdc  
Output Current range (USB) : 5V / 1.2A X 2 or 5V / 2.4A X 1 Continuous  
Output Total Power : 12Watts  
Efficiency Level : V  
Protection : SCP, OCP, OVP, OTP Protection  
Output Outlet : 2 USB Port

國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 CHINA AUSTRALIA TO USB	 WS-439-A1 Input : 100~240V~ Output : 5V / 2.4A	AC CHINA 2 PIN/ AUSTRALIA 2 PIN ROTATABLE PIN TO 2 USB		CCC BY REQUEST
 EUROPE	 WS-038-1 2.5A / 250V~	US 2 PIN INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
 UK	 WS-413 2.5A / 250V~	US 2 PIN INTO UK PLUG		ASTA BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

# PORTABLE UNIVERSAL USB CHARGER WITH WIFI ROUTER

**P / N : 9993-1018**



國家 COUNTRY	轉接頭型式 POWER ADAPTER TYPE	規格 SPEC	顏色 COLOR	安規 SAFETY
 USA AUSTRALIA TO USB	 WS-439-1 Input : 100~240V~ Output : 5V / 1A	AC USA / AUSTRALIA PLUG TO USB 2.0 + WIFI	 WHITE	UL / CUL BY REQUEST
 EUROPE	 WS-038-1 2.5A / 250V~	US 2 PIN INTO EUROPEAN 2 PIN PLUG		TUV BY REQUEST
 UK	 WS-413 2.5A / 250V~	US 2 PIN INTO UK PLUG		ASTA BY REQUEST
USA	USA / CANADA / MEXICO / JAPAN / TAIWAN / CHINA			
EUROPE	GERMANY / FRANCE / NETHERLAND / DENMARK / FINLAND / NORWAY / POLAND / PORTUGAL / AUSTRIA / BELGIUM / HUNGARY / SPAIN / SWEDEN / RUSSIA / KOREA			
UK	UK / INDIA / SINGAPORE / MALAYSIA / VIETNAM / SAUDI ARABIA			
AUSTRALIA	CHINA / NEW ZEALAND / AUSTRALIA / ARGENTINA			

# PORTABLE UNIVERSAL USB CHARGER WITH WIFI ROUTER



WS-439-1



Australia Plug



USA Plug



WS-413



WS-038-1

## SURFACE CODING

Size : 65.3mm x 49.6mm x 66.6mm  
Material : PC  
Surface : Polish / Pockmark  
Color : White

## SPECIFIC

Input Voltage Range : 90Vac~264Vac  
Input Frequency : 47~63Hz  
Output Voltage (USB) : 4.75Vdc~5.25Vdc  
Output Current Range (USB) : 0 ~ 1.0A continuous  
Output Total Power : 5 Watts  
Efficiency Level : V  
Protection : SCP / OCP / OVP / OTP Protection  
Output Outlet : USB Port

## Wi-Fi Router

Supports IEEE802.11 b/g/n, IEEE802.3 / 802.3u  
WiFi maximum bandwidth access: 150Mbps  
Bridge mode  
Gateway mode  
Ethernet converter  
AP Client





































WS-418-A WHITE
































# Technical Information

## IEC 60320-1 & 60320-2 International Standard

Appliance couplers for household and similar general purposes-Interconnection couplers for household and similar equipment.

IEC 60320-1 Appliance Couplers			IEC 60320-2-2 Interconnection Coupler	
Connectors		Inlets	Plug Connectors	Outlets
 <b>C1</b>	Class II Cold	 <b>C2</b>	0.2A Household	These couplers are not in the IEC 60320 standard.
 <b>C5</b>	Class I Cold	 <b>C6</b>	2.5A Household	 <b>SHEET A</b> Class I  <b>SHEET B</b>
 <b>C7</b>	Class II Cold	 <b>C8</b>		 <b>SHEET C</b> Class II  <b>SHEET D</b>
 <b>C9</b>	Class II Cold	 <b>C10</b>	6A Household	These couplers are not in the IEC 60320 standard.
 <b>C13</b>	Class I Cold	 <b>C14</b>	10A International/ 15A North American Household	 <b>SHEET E</b> Class I  <b>SHEET F</b>
 <b>C15</b>	Class I Hot	 <b>C16</b>		These couplers are not in the IEC 60320 standard.
 <b>C15A</b>	Class I Very Hot	 <b>C16A</b>		These couplers are not in the IEC 60320 standard.
 <b>C17</b>	Class II Cold	 <b>C18</b>		 <b>SHEET G</b> Class II  <b>SHEET H</b>
 <b>C19</b>	Class I Cold	 <b>C20</b>		 <b>SHEET I</b> Class I  <b>SHEET J</b>
 <b>C21</b>	Class I Very Hot	 <b>C22</b>	16A International/ 20A North American Household	These couplers are not in the IEC 60320 standard.
 <b>C23</b>	Class II Cold	 <b>C24</b>		 <b>SHEET K</b> Class II  <b>SHEET L</b>

## We gained Safety Standard approval of different country

 UL	 C-UL	 UL&C-UL	 UL	 C-UL	 UL&C-UL	
 Brazil	 Mexico	 Argentina	 Argentina	 Australia	 South Africa	
 European	 Germany	 Germany	 DEMKO Denmark	 United Kingdom	 United Kingdom	
 IMQ Italy	 SEV Switzerland	 FIMKO Finland	 NEMKO Norway	 SEMKO Sweden	 Korea	
 China 3C	 Taiwan CNS	 India	 Japan	 Singapore	 Russia	 Israel





**ISO 9001:2008  
REGISTERED**



**UKAS  
QUALITY  
MANAGEMENT  
003**



**ISO 14001:2004  
REGISTERED**



**UKAS  
ENVIRONMENTAL  
MANAGEMENT  
003**


**Quality Manufacturer and Green Partner**  
Awarded Sony Green Partner Certification in 2005.





# WELL SHIN TECHNOLOGY CO., LTD.

[www.wellshin.com.tw](http://www.wellshin.com.tw)



## Kun Shan Plant

維爾斯電子(昆山)有限公司

Well Shin Electronic (Kun Shan) Co., Ltd.

江蘇省昆山市錦溪鎮昆開路389號

No.389, Kun Kai Rd., Jin Xi Town, Kun Shan City,

Jiang Su 215324, China

Tel : 86-512-5722-9101 Fax : 86-512-5722-9105



## Headquarter Taipei

維熹科技股份有限公司

Well Shin Technology Co., Ltd.

114臺北市內湖區新湖三路196號

No.196, Xinghu 3rd Rd., Neihu District,

Taipei City 114, Taiwan

Tel : 886-2-2791-1119 Fax : 886-2-2791-9901



## Kentucky Plant

美國肯塔基廠

Factory : Kentucky, USA

1801 Trane Way Louisville, KY 40299, USA

Tel : 1-414-482-0800 Fax : 1-414-482-0220



## Dongguan Plant

東莞維升電子製品有限公司

Dongguan Well Shin Electronic Products Co., Ltd.

廣東省東莞市黃江鎮長龍管理區

Chang Long Control Dist., Hwang Jiang Cheng,

Dongguan City, Guandong 523766, China

Tel : 86-769-8362-2694 Fax : 86-769-8362-2714



## Taiwan Plant

台灣工廠

Taiwan Plant

彰化縣福興鄉麥厝村沿海路一段1號

No.1, Sec. 1, Yanhai Rd., Fuxing Township,

Changhua County 506, Taiwan

Tel : 886-4-770-3081 Fax : 886-4-770-3080